


Dräger Pac® 3500 Single-Gas Detection Device

Workplace safety devices need to be fast and accurate. That is why the Dräger Pac® 3500 is ideal for the personal monitoring of carbon monoxide, hydrogen sulfide or oxygen, along with being maintenance-free for up to two years.



Benefits

Compact and Robust

The device is light-weight and compact while offering excellent wear comfort. The stable, rotatable crocodile clip allows it to be securely attached to clothing or belts. Dräger Pac 3500 also features a shock-proof, chemical-resistant rubber coating and meets the requirements of IP68, making it perfect for rough working environments.

Large, Language-Free Display

The large display unit continuously shows the gas concentration while simultaneously displaying the corresponding measurement unit. The background light ensures that these values can be clearly read, even in the dark.

Safety in any Situation

The device is equipped with a Dräger XXS sensor that allows gas intake from both the top and front of the Dräger Pac 3500. This means that a continuous measurement is always guaranteed, even if a gas inlet has accidentally been covered.

Triple Alarm

With the Dräger Pac 3500, no alarm goes unnoticed. It features a clear, multi-toned signal and visual alarm in the form of a bright, flashing 360-degree LED on the top and bottom that also vibrates.

Event Logger

The Dräger Pac 3500 can store up to 60 events, along with their dates and times. An infrared interface allows them to be loaded onto the PC for further analysis.

Bump and Function Test

The recommended function tests ensure that the device works flawlessly when performed regularly with a certain gas concentration. To guarantee this, once users have activated the bump test mode, the Dräger Pac 3500 will immediately remind users if a bump test or calibration is required. The tests can be then performed in seconds using the Dräger Bump Test Station.

Fast and Robust DrägerSensor®

The Dräger XXS sensors offer greater safety through extremely fast reaction times. The robust sensors can also be used in extreme environmental conditions without triggering a false alarm.

System Components



DrägerSensor® XXS

A small sensor—one giant step into the future: The new DrägerSensor® XXS range is remarkably compact and boasts an even higher performance than the competition.



Dräger Bump Test Station

Easy-to-use, stand-alone, and flexible: With the Bump Test Station, function tests of gas detection and warning devices can be carried out easily and independently of the location.



Dräger X-dock® 5300/6300/6600

Automatic bump tests, calibration, reduced test gas consumption, short testing times, and comprehensive documentation come standard in this new device from Dräger, the experts in gas detection.

Accessories



Dräger Configuration and Evaluation Software

Tailor-made Draeger software makes saving measurement results, professionally configuring gas detection instruments, and viewing performance data possible.



Calibration gas and accessories

For the safe operation of devices, applicable regulations and statutory provisions are to be met and complied with. Therefore, regular calibrations and function tests are necessary. Different systems are available so that products meet a wide range of calibration requirements.



Leather carrying case



Highly visible yellow label for H₂S instruments

Accessories



Highly visible blue label for ${\rm O}_2$ instruments



Communication Module

Complete with USB cable and CC-vision software can be downloaded from our website at no charge.



Water and Dust Filter (4 pcs. or 12 pcs.)



Calibration Adapter

Accessories



Dräger CC-Vision



Dräger Pac Module for Dräger E-Cal calibration system

Related Products



Dräger Pac® 7000

Safety in the workplace always takes top priority. The Dräger Pac® 7000 provides a reliable warning against dangerous concentrations of 12 different gases depending on the sensor selection. Another unique option to the device is its five-year warranty for the H_2S , O_2 and CO versions.

.

Related Products



Dräger Pac® 5500

Long-lasting quality is key when it comes to workplace safety. The Dräger Pac® 5500 has "no lifetime limitation" and is ideal for fast and accurate personal monitoring and detection of carbon monoxide, hydrogen sulfide or oxygen.

Ordering Information

Dräger Pac® 3500

| | Measuring range | Alarm threshold A1/A2 (standard) | Measuring | Response time | Order number |
|--|---|----------------------------------|-------------------------------------|---------------|--------------|
| Dräger Pac® 3500 | 0 – 500 ppm | 35/50 ppm | 1 ppm | 15 sec. | 45 43 957 |
| CO | | | | | |
| Dräger Pac® 3500 | 0 – 100 ppm | 10/15 ppm | 0.1 ppm | 15 sec. | 45 43 958 |
| H ₂ S | | | | | |
| Dräger Pac® 3500 | 0 – 100 ppm | 10/15 ppm | 0.1 ppm | 15 sec. | 45 43 963 |
| H ₂ S ¹⁾ | | | | | |
| Dräger Pac® 3500 | 0 – 25 Vol% | 19.5/23.5 Vol% | 0.1 Vol% | 10 sec. | 45 43 959 |
| O ₂ | | | | | |
| Dräger Pac® 3500 | 0 – 25 Vol% | 19.5/23.5 Vol% | 0.1 Vol% | 10 sec. | 45 43 964 |
| O ₂ ²⁾ | | | | | |
| 1) Standard configur | ation Europa | | | | |
| 2) Standard configur | ration North America | | | | |
| Yellow colored overlays for H ₂ S devices, 10/Pack | | | 83 20 978 | | |
| Blue colored overlays for O ₂ devices, 10/Pack | | | 83 20 977 | | |
| ACCESSORIES EO | R THE DRÄGER PAC® | SERIES | | | |
| ACCESSORIES FO | | Leather carrying case | | | |
| | e | | 45 43 822 | | |
| | | | 45 43 822 | | |
| Leather carrying cas | | ger.com | 45 43 822 | | |
| Leather carrying cas Communication ac Dräger CC-Vision B | cessories | ger.com | 45 43 822 83 18 587 | | |
| Leather carrying cas Communication ac Dräger CC-Vision B | cessories asic, free at www.drae dule, incl. USB cable | ger.com | | | |
| Leather carrying case Communication accommunication B Communication model | cessories asic, free at www.drae dule, incl. USB cable | ger.com | | | |
| Communication accommunication BCOMMUNICATION BCOMMU | cessories asic, free at www.drae dule, incl. USB cable ories | ger.com | 83 18 587 | | |
| Communication accommunication accommunication modes Calibration accessed Calibration | cessories asic, free at www.drae dule, incl. USB cable ories | | 83 18 587 | | |
| Leather carrying cas Communication accommunication mode Calibration accessed Calibration adapter Dräger X-dock® 530 Dräger bump test st | cessories asic, free at www.drae dule, incl. USB cable pries | | 83 18 587 83 18 588 83 21 881 | | |
| Communication ac Dräger CC-Vision B Communication mod Calibration accessor Calibration adapter Dräger X-dock® 530 | cessories asic, free at www.drae dule, incl. USB cable pries | | 83 18 587 83 18 588 83 21 881 | | |

Notes

Notes

Not all products, features, or services are for sale in all countries. Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA Moislinger Allee 53–55 23558 Lübeck, Germany www.draeger.com

Customer Service:

USA +1 800-4DRAGER (+1 800-437-2437)

CANADA

+1 877-DRAGER1 (+1 877-372-4371)

Technical Service: USA

+1 800-4DRAGER

(+1 800-437-2437)

Locate your Regional Sales Representative at: www.draeger.com/contact

